Splint Guide for Doctors, NP's, PA's

Do you have patients with:

- ⇒ PIP joint dislocations?
- ⇒ Trigger finger?
- ⇒ Mallet finger?
- ⇒ De Quervain's Tenosynovitis?
- ⇒ Stable, non-displaced fractures?

Refer them to Calhoon Orthopaedic Rehabilitation & Exercise for custom fabricated orthoses. We make our splints out of light weight thermoplastic material or delta cast conformable, for a comfortable fit. Please refer to our guide below, for reference to the many splints we make, plus many more.

Call us at 907-931-6927 or fax an order to 907-312-7142.

Forearm Based Thumb Spica Orthosis



Indications For Use

- ⇒ Scaphoid Fractures
- ⇒ First metacarpal joint fractures
- ⇒ De Quervain's tenosynovitis
- ⇒ Metacarpal Phalangeal Joint Fusion

Wrist Orthosis



- \Rightarrow Non-displaced distal radius fractures
- ⇒ Wrist extensor tenosynovitis
- ⇒ Carpal instability
- ⇒ Carpal fractures
- ⇒ TFCC sprains/injuries
- ⇒ First CMC OA

Indications For Use

Hand-Based CMC Orthosis



- ⇒ First metacarpal fractures
- ⇒ First metacarpal osteo-arthritis
- ⇒ Gamekeepers thumb UCL/RCL injuries
- ⇒ Metacarpal joint fusion
- ⇒ First metacarpal joint volar plate injuries

Hand-Based Ulnar Gutter Orthosis



- ⇒ Metacarpal fractures
- ⇒ Nerve injuries
- ⇒ Proximal phalanx fractures


Indications For Use

Forearm-Based Ulnar Gutter Orthosis



⇒ 3rd, 4th, 5th Metacarpal fractures

Extensor Tendon Orthosis



 \Rightarrow Extensor Tendon repairs

Indications For Use

Dorsal Blocking Orthosis/Controlled Active Motion




⇒ Flexor Tendon repairs

Dorsal Finger Extension Blocking Orthosis



- \Rightarrow Volar plate inuries
- ⇒ Finger avulsion injuries

Finger Extension Orthosis



Indications For Use

- ⇒ PIP joint injuries
- ⇒ Central slip injuries
- ⇒ Fractures or dislocations
- \Rightarrow Trigger finger